

REGNEHIERARKIET

POTENSER AF 10

NAVN

HOLD

REGNEHIERARKI – POTENSER:

3^2	8^2	10^2
1	2	3
5^4	11^2	20^2
4	5	6
3^3	2^3	6^4
7	8	9
1^4	2^5	2^6
10	11	12

REGNEHIERARKI – RØDDER:

$\sqrt{4}$	$\sqrt{25}$	$\sqrt{9}$
13	14	15
$\sqrt{36}$	$\sqrt{121}$	$\sqrt{100}$
16	17	18
$\sqrt{16}$	$\sqrt{81}$	$\sqrt[3]{27}$
19	20	21
$\sqrt[3]{125}$	$\sqrt[5]{32}$	$\sqrt[6]{1}$
22	23	24

REGNEHIERARKI 1:

$25:5+5\cdot3$	$2+3\cdot2$	$6-2\cdot2$
25	26	27
$3+6:2$	$10:2+4$	$(2+2)\cdot3$
28	29	30
$(4+2)\cdot2$	$8:(2+2)$	$(4+2)\cdot(1+1)$
31	32	33
$(4\cdot2)-(2\cdot2)$	$(5\cdot2):(1+1)$	$(4\cdot2)-(2\cdot2)+4-6$
34	35	36

REGNEHIERARKI 2:

$(4 \cdot 2) - 2 - 3 - 1$	$(4 \cdot 2) - 2 \cdot 2$	$(4 \cdot 2) - (2 - 2) + 4$
37	38	39
$(5 \cdot 2) + (10 - 7) - 80$	$3^2 + 2$	$4^2 + (2 \cdot 2)$
40	41	42
$-(4 - 8) \cdot \sqrt{4}$	$(3^2 - 6) : 2$	$(5 + 2) \cdot (3 + 1)$
43	44	45
$6 \cdot 2 - (8 + 3)$	$5^2 + 5 \cdot 2$	$7 - 3 + 6 : 2$
46	47	48

REGNEHIERARKI 3:

$2^3+5\cdot3$	$(4\cdot5)+7$	$-(3-7)\cdot(9-4)$
49	50	51
$19-2^2\cdot4$	$(8+3)\cdot5^2$	$(\sqrt{9}+8)\cdot4+6$
52	53	54
$(3^4):3$	$(8-6)\cdot(7-4)$	$18-(4-5)\cdot3$
55	56	57
$\sqrt{16}+4^2+4$	$-2\cdot(-4-4)$	$2+(5+1)-(3-5)$
58	59	60